# MET ONE HHPC+ Series Handheld Particle Counters



## **MET ONE**

## MET ONE HHPC+ series handheld particle counter.



## **Easy data download**

#### **USB Cable • Memory Stick • Ethernet**

#### Easy network connectivity

Download to Excel® via Ethernet using industry standard browsers (Internet Explorer®, Safari®, Firefox®, etc.)

#### Use a memory stick – grab the data and go!

Plug a USB memory stick in the MET ONE HHPC+ to transfer your particle data direct to a PC.


#### **USB** cable direct to PC

Plug it in like a camera, your data appears in Excel®.

#### Leave your MET ONE HHPC+ in the clean room on the charge cradle

Your handheld is fully charged, and ready for use at all times. The unique cradle provides PC access to particle counting data via Ethernet or USB cable.





Transfer clean-room particle data by easy-to-use USB Memory Stick and Ethernet electronic data transfer, you'll be spending less time in the clean room and more time on the results!

#### **Specifications**

Particle Size Range 0.3 µm - 10 µm in size channels per ISO 14644-1 (FS 209E) industry

standard. (HHPC 2+: 0.5 µm - 5 µm.)

Number of Channels HHPC 6+ 6 Channels

> HHPC 3+ 3 Channels HHPC 2+ 2 Channels

Weight Ultra-lightweight at 1.5 lbs for comfortable handheld use.

Flow Rate 2.83 lpm. Take ISO 14644-1 class 5 compliant 0.3 µm samples in a minute

Communications Access particle counting data direct to PC via Ethernet and USB cable,

or use USB memory stick. No device drivers or software required.

Large 3.5" high resolution 320 x 240 color for super clear viewing with Display

intuitive icons for easy navigation.

Display Configuration User selectable size channels with super-large font options.

Display Data Modes Traditional tabular particle counts or trend graph for easy particle profiling.

> **Enclosure** High impact polycarbonate ABS for exceptional durability.

10.7" x 3.9" x 2.1" Contoured for convenient single handed operation. **Dimensions** 

**Battery Duration** Over 10 hours with typical use model.

Minimum 5.5 hours continuous sampling.

**Battery Charging** 3.5 hours

Data Storage 10,000 records for the most demanding applications.

Counting Efficiency 50% @ 0.3 μm; 100% for particles > 0.45 μm (per ISO 21501)

Zero Count Level 1 count / 5 minute (per JIS B9921)

Concentration Limits 4,000,000 / ft<sup>3</sup> @ 10% coincidence loss (HHPC 6+ and 3+),

2,000,000 / ft3 @ 10% coincidence loss (HHPC 2+)

Raw counts, N/ft<sup>3</sup>, N/m<sup>3</sup>, N/L in Cumulative or Differential mode Count Modes

Administrator password controlled (optional) Security User selected particle channels and limits **Alarms** 

Operating Environment 50°F to 104°F (10°C to 40°C) / < 95% non-condensing

Storage Environment 14°F to 122°F (-10°C to 50°C) / Up to 98% non-condensing

Accessories Included Power supply, Universal 110-240V

Zero count inlet-filter and zero count filter adaptor

6' USB cable

Cradle for ease of charging and convenient USB and Ethernet

communications (HHPC 6+ only)

CLASS 1 LASER PRODUCT

Contact manufacturer for complete compliance details

At Hach, it's about learning from our customers and providing the right answers.

Keep it pure.

Make it simple.

Be right.

